

TRANSMITTAL SLIP		
23 November 54 (Date)		
TO: Colonel White		
BUILDING	ROOM NO.	
REMARKS:		
<p>In approving the attached recommendation of the Property Survey Board, we are only approving of the disposal of the</p> <p>25X1C</p> <p>The Board indicated that additional information was needed before "a final recommendation is made in regard to relief from accountability and responsibility". I have sent out a letter (Tab A) asking for an interim report from the Board in the event they are not ready to make final recommendation.</p>		
FROM		
BUILD	M NO.	EXTENSION
FORM NO. 36-8 SEP 1946		
10-65208-1 GPO		

25X1A9a

~~SECRET~~

TRANSMITTAL SLIP

31 July 1954

(Date)

TO: **Inspector General**

BUILDING

Administration

ROOM NO.

121

REMARKS:

Kirk:

Attached are the Property Survey Reports concerning Unserviceable Ammunition

In view of your hopes to do something with this ammunition other than to dump it in the sea, and since compliance with a request to this effect is the only action which I am asked to approve at this time, I will defer any approval until you give me the green light.

(over)

FROM: **Deputy Director (Administration)**

BUILDING

Admin.

ROOM NO.

226

EXTENSION

717

FORM NO. 36-8
SEP 1946

~~SECRET~~

16-55208-1 GPO

25X1A6a